

# **A7s Plus**

# **Receiving Card**



**Specifications** 

## **Change History**

Document Version	Release Date	Description
V1.2.2	2023-12-30	Updated feature descriptions.
V1.2.1	2022-12-27	Updated the description of the maximum resolution.
		Updated the dimensions diagram.
		Updated the packing box dimensions.
		Deleted the LVDS transmission.
V1.2.0	2022-11-01	Updated the appearance diagram.
V1.1.6	2022-08-31	Updated the input voltage.
V1.1.5	2022-03-26	Added the dimensions diagram description.
		Updated the pins section.

### Introduction

The A7s Plus is a general small receiving card developed by Xi'an NovaStar Tech Co., Ltd. (hereinafter referred to as NovaStar). For PWM driver ICs, a single A7s Plus supports resolutions up to 512×512@60Hz. For common driver ICs, a single A7s Plus supports resolutions up to 512×384@60Hz. Supporting color management, 18bit+, pixel level brightness and chroma calibration, quick seam correction, 3D, individual gamma adjustment for RGB, image rotation in 90° increments, and other functions, the A7s Plus can significantly improve the display effect and user experience.

The A7s Plus uses high-density connectors for communication to limit the effects of dust and vibration, resulting in high stability. It supports up to 32 groups of parallel RGB data or 64 groups of serial data (expandable to 128 groups of serial data). Its reserved pins allow for custom functions of users. Thanks to its EMC Class B compliant hardware design, the A7s Plus has improved electromagnetic compatibility and is suitable for various on-site setups.

## **Certifications**

RoHS, EMC Class B

If the product does not have the relevant certifications required by the countries or regions where it is to be sold, please contact NovaStar to confirm or address the problem. Otherwise, the customer shall be responsible for the legal risks caused or NovaStar has the right to claim compensation.

#### **Features**

#### **Improvements to Display Effect**

- Color management Support the standard color gamuts (Rec.709, DCI-P3 and Rec.2020) and custom color gamuts, enabling more precise colors on the screen.
- 18bit+ Improve the LED display grayscale by 4 times to avoid grayscale loss due to low brightness and allow for a smoother image.
- Pixel level brightness and chroma calibration
  Work with NovaStar's high-precision calibration
  system to calibrate the brightness and chroma of
  each pixel, effectively removing brightness
  differences and chroma differences, and
  enabling high brightness consistency and
  chroma consistency.
- Quick adjustment of dark or bright lines
   The dark or bright lines caused by splicing of
   cabinets or modules can be adjusted to improve
   the visual experience. This function is easy to
   use and the adjustment takes effect immediately.

**Improvements to Maintainability** 

- Smart module (dedicated firmware required)
   Working with the smart module, the receiving
   card supports module ID management, storage
   of calibration coefficients and module
   parameters, monitoring of module temperature,
   voltage and flat cable communication status,
   LED error detection, and recording of the
   module run time.
- Automatic module calibration
   After a new module with flash memory is
   installed to replace the old one, the calibration
   coefficients stored in the flash memory can be
   automatically uploaded to the receiving card
   when it is powered on, ensuring high
   consistency for both display brightness and
   chroma.
- Quick uploading of calibration coefficients
   The calibration coefficients can be quickly uploaded to the receiving card, improving efficiency greatly.
- Module Flash management
   For modules with flash memory, the information stored in the memory can be managed. The calibration coefficients and module ID can be stored and read back.
- One click to apply calibration coefficients in module Flash

In NovaLCT V5.2.0 or later, the adjustment can be performed without using or changing the video source.

- 3D
   Working with the sending card that supports 3D function, the receiving card supports 3D image output
- Individual gamma adjustment for RGB
  Working with NovaLCT (V5.2.0 or later) and the
  sending card that supports this function, the
  receiving card supports individual adjustment of
  red gamma, green gamma and blue gamma,
  which can effectively control image nonuniformity at low grayscale conditions and white
  balance offset, allowing for a more realistic
  image.
- Image rotation in 90° increments
   The display image can be set to rotate in multiples of 90° (0°/90°/180°/270°).

For modules with flash memory, when the Ethernet cable is disconnected, users can hold down the self-test button on the cabinet to upload the calibration coefficients in the flash memory of the module to the receiving card.

- Mapping 1.0
   The cabinets display the receiving card number and Ethernet port information, allowing users to easily obtain the locations and connection topology of receiving cards.
- Setting of a pre-stored image in receiving card
  The image displayed during startup, or displayed
  when the Ethernet cable is disconnected or
  there is no video signal can be customized.
- Temperature and voltage monitoring
   The temperature and voltage of the receiving
   card can be monitored without using peripherals.
- Cabinet LCD
   The LCD module connected to the cabinet can display the temperature, voltage, single run time and total run time of the receiving card.
- Bit error detection
   The Ethernet port communication quality of the receiving card can be monitored and the number of erroneous packets can be recorded to help troubleshoot network communication problems.

- Status detection of dual power supplies
   When two power supplies are used, their working status can be detected by the receiving card
- Firmware program readback
   The firmware program of the receiving card can be read back and saved to the local computer.

Configuration parameter readback
 The configuration parameters of the receiving card can be read back and saved to the local computer.

#### **Improvements to Reliability**

- Dual card backup and status monitoring
  In an application with requirements for high
  reliability, two receiving cards can be mounted
  onto a single hub board for backup. When the
  primary receiving card fails, the backup card can
  serve immediately to ensure uninterrupted
  operation of the display.
  - The working status of the primary and backup receiving cards can be monitored in NovaLCT V5.2.0 or later.
- Loop backup
   The receiving cards and the LED controller form
   a loop via the primary and backup line
   connections. When a fault occurs at a location of
   the lines, the screen can still display the image
   normally.
- Dual backup of configuration parameters
   The receiving card configuration parameters are
   stored in the application area and factory area of
   the receiving card at the same time. Users
   usually use the configuration parameters in the
   application area. If necessary, users can restore
   the configuration parameters in the factory area
   to the application area.
- Dual program backup
   Two copies of firmware program are stored in
   the receiving card at the factory to avoid the
   problem that the receiving card may get stuck
   abnormally during program update.

## **Appearance**





All product pictures shown in this document are for illustration purpose only. Actual product may vary.


## Indicators

Indicator	Color	Status	Description
Running indicator	Green	Flashing once every 1s	The receiving card is functioning normally. Ethernet cable connection is normal, and video source input is available.

Indicator	Color	Status	Description		
		Flashing once every 3s	Ethernet cable connection is abnormal.		
		Flashing 3 times every 0.5s	Ethernet cable connection is normal, but no video source input is available.		
	Flashing once every 0.2s		The receiving card failed to load the program in the application area and is now using the backup program.		
		Flashing 8 times every 0.5s	A redundancy switchover occurred on the Ethernet port and the loop backup has taken effect.		
Power indicator	Red	Always on	The power input is normal.		

## **Dimensions**

The board thickness is not greater than 2.0 mm, and the total thickness (board thickness + thickness of components on the top and bottom sides) is not greater than 8.6 mm. Ground connection (GND) is enabled for mounting holes.



Note


The distance between outer surfaces of the A7s Plus and hub boards after their high-density connectors fit together is 5.0 mm. A 5-mm copper pillar is recommended.


To make molds or trepan mounting holes, please contact NovaStar for a higher-precision structural drawing.

PAGE

## **Pins**

### 32 Groups of Parallel RGB Data






	JH1						
	GND	1	2	GND			
LCD CS signal	EXT_CS#RW	3	4	NC			
LCD RS signal	EXT_LCD_CD/RS	5	6	NC			
LCD clock signal	EXT_LCD_SCL/DB0	7	8	NC			
LCD data signal	EXT_LCD_SDA/DB1	9	10	NC			
LCD backlight signal 1	EXT_LCD_BL0	11	12	NC			
LCD backlight signal 2	EXT_LCD_BL1	13	14	NC			
LCD control button	EXT_KEY	15	16	NC			
A reserved pin for MCU connection	EXT_MCU_ADC	17	18	NC			
A reserved pin for MCU connection	EXT_MCU_TXD	19	20	NC			
	GND	21	22	NC			
	NC	23	24	NC			
	GND	25	26	GND			
/	G17	27	28	R17	/		
/	R18	29	30	B17	/		
/	B18	31	32	G18	/		
/	G19	33	34	R19	/		
/	R20	35	36	B19	/		
/	B20	37	38	G20	/		
	GND	39	40	GND			
1	G21	41	42	R21	/		
/	R22	43	44	B21	/		


JH1						
/	B22	45	46	G22	/	
/	G23	47	48	R23	/	
/	R24	49	50	B23	/	
/	B24	51	52	G24	/	
	GND	53	54	GND		
/	G25	55	56	R25	/	
/	R26	57	58	B25	/	
/	B26	59	60	G26	/	
/	G27	61	62	R27	/	
/	R28	63	64	B27	/	
1	B28	65	66	G28	/	
	GND	67	68	GND		
1	G29	69	70	R29	/	
1	R30	71	72	B29	/	
/	B30	73	74	G30	/	
/	G31	75	76	R31	/	
1	R32	77	78	B31	/	
/	B32	79	80	G32	/	
	GND	81	82	GND		
/	RFU4	83	84	RFU3	/	
/	RFU6	85	86	RFU5	/	
1	RFU8	87	88	RFU7	/	
/	RFU10	89	90	RFU9	/	
/	RFU12	91	92	RFU11	/	
/	RFU14	93	94	RFU13	/	
	GND	95	96	GND		
1	RFU16	97	98	RFU15	/	
	NC	99	100	RFU17	/	
	NC	101	102	NC		
	NC	103	104	NC		
	NC	105	106	NC		
	NC	107	108	NC		
	GND	109	110	GND		
	GND	111	112	GND		
	NC	113	114	NC		
	EXT_5V	115	116	EXT_5V		
	EXT_5V	117	118	EXT_5V		
	EXT_5V	119	120	EXT_5V		

JH2						
Chassis ground	Eth_Sheild	1	2	Eth_Sheild	Chassis ground	
Chassis ground	Eth_Sheild	3	4	Eth_Sheild	Chassis ground	
	NC	5	6	NC		
	NC	7	8	NC		
	Port1_T0+	9	10	Port2_T0+		
	Port1_T0-	11	12	Port2_T0-		
	NC	13	14	NC		
	Port1_T1+	15	16	Port2_T1+		
Gigabit Ethernet port	Port1_T1-	17	18	Port2_T1-	Gigabit Ethernet port	
	NC	19	20	NC		
	Port1_T2+	21	22	Port2_T2+		
	Port1_T2-	23	24	Port2_T2-		
	NC	25	26	NC		

JH2					
	Port1_T3+	27	28	Port2_T3+	
	Port1_T3-	29	30	Port2_T3-	
	NC	31	32	NC	
	NC	33	34	NC	
Test button	TEST_INPUT_KEY	35	36	STA_LED-	Running indicator (active low)
	GND	37	38	GND	
Line decoding signal	A	39	40	DCLK1	Shift clock output 1
Line decoding signal	В	41	42	DCLK2	Shift clock output 2
Line decoding signal	С	43	44	LAT	Latch signal output
Line decoding signal	D	45	46	CTRL	Afterglow control signal
Line decoding signal	E	47	48	OE_RED	Display enable signal
Display enable signal	OE_BLUE	49	50	OE_GREEN	Display enable signal
	GND	51	52	GND	
1	G1	53	54	R1	1
1	R2	55	56	B1	1
	B2	57	58	G2	/
1	G3	59	60	R3	1
/	R4	61	62	B3	1
/	B4	63	64	G4	/
	GND	65	66	GND	
/	G5	67	68	R5	1
/	R6	69	70	B5	1
/	B6	71	72	G6	1
/	G7	73	74	R7	/
/	R8	75	76	B7	/
/	B8	77	78	G8	/
	GND	79	80	GND	
/	G9	81	82	R9	1
/	R10	83	84	B9	1
/	B10	85	86	G10	/
/	G11	87	88	R11	/
1	R12	89	90	B11	1
1	B12	91	92	G12	1
	GND	93	94	GND	
	G13	95	96	R13	/
1	R14	97	98	B13	/
	B14	99	100	G14	1
1	G15	101	102	R15	1
1	R16	103	104	B15	/
1	B16	105	106	G16	1
	GND	107	108	GND	
	NC	109	110	NC	
	NC	111	112	NC	
	NC	113	114	NC	
	NC	115	116	NC	
	GND	117	118	GND	
	GND	119	120	GND	

### **64 Groups of Serial Data**





JH1						
	GND	1	2	GND		
LCD CS signal	EXT_CS#RW	3	4	NC		
LCD RS signal	EXT_LCD_CD/RS	5	6	NC		
LCD clock signal	EXT_LCD_SCL/DB0	7	8	NC		
LCD data signal	EXT_LCD_SDA/DB1	9	10	NC		
LCD backlight signal 1	EXT_LCD_BL0	11	12	NC		
LCD backlight signal 2	EXT_LCD_BL1	13	14	NC		
LCD control button	EXT_KEY	15	16	NC		
A reserved pin for MCU connection	EXT_MCU_ADC	17	18	NC		
A reserved pin for MCU connection	EXT_MCU_TXD	19	20	NC		
	GND	21	22	NC		
	NC	23	24	NC		
	GND	25	26	GND		
/	Data50	27	28	Data49	/	
/	Data52	29	30	Data51	/	
/	Data54	31	32	Data53	/	
/	Data56	33	34	Data55	/	
1	Data58	35	36	Data57	/	
/	Data60	37	38	Data59	/	
	GND	39	40	GND		
1	Data62	41	42	Data61	1	
1	Data64	43	44	Data63	1	
	NC	45	46	NC		
	NC	47	48	NC		
	NC	49	50	NC		

JH1						
	NC	51	52	NC		
	GND	53	54	GND		
	NC	55	56	NC		
	NC	57	58	NC		
	NC	59	60	NC		
	NC	61	62	NC		
	NC	63	64	NC		
	NC	65	66	NC		
	GND	67	68	GND		
	NC	69	70	NC		
	NC	71	72	NC		
	NC	73	74	NC		
	NC	75	76	NC		
	NC	77	78	NC		
	NC	79	80	NC		
	GND	81	82	GND		
/	RFU4	83	84	RFU3	/	
/	RFU6	85	86	RFU5	/	
/	RFU8	87	88	RFU7	/	
/	RFU10	89	90	RFU9	/	
/	RFU12	91	92	RFU11	/	
/	RFU14	93	94	RFU13	/	
	GND	95	96	GND		
/	RFU16	97	98	RFU15	/	
	NC	99	100	RFU17	/	
	NC	101	102	NC		
	NC	103	104	NC		
	NC	105	106	NC		
	NC	107	108	NC		
	GND	109	110	GND		
	GND	111	112	GND		
	NC	113	114	NC		
	EXT_5V	115	116	EXT_5V		
	EXT_5V	117	118	EXT_5V		
	EXT_5V	119	120	EXT_5V		

JH2							
Chassis ground	Eth_Sheild	1	2	Eth_Sheild	Chassis ground		
Chassis ground	Eth_Sheild	3	4	Eth_Sheild	Chassis ground		
	NC	5	6	NC			
	NC	7	8	NC			
	Port1_T0+	9	10	Port2_T0+			
	Port1_T0-	11	12	Port2_T0-			
	NC	13	14	NC			
	Port1_T1+	15	16	Port2_T1+			
	Port1_T1-	17	18	Port2_T1-			
Gigabit Ethernet port	NC	19	20	NC	Gigabit Ethernet port		
	Port1_T2+	21	22	Port2_T2+			
	Port1_T2-	23	24	Port2_T2-			
	NC	25	26	NC			
	Port1_T3+	27	28	Port2_T3+			
	Port1_T3-	29	30	Port2_T3-			
	NC	31	32	NC			
	NC	33	34	NC			
Test button	TEST_INPUT_KEY	35	36	STA_LED-	Running indicator (active low)		
	GND	37	38	GND			

Line decoding signal	JH2					
Line decoding signal	Line decoding signal	А	39	40	DCLK1	Shift clock output 1
Line decoding signal Desplay enable signal Display enable signal OE_BLUE  49 50 OE_GREEN Display enable signal OE_BLUE O		В	41	42	DCLK2	Shift clock output 2
Line decoding signal Line decoding signal Line decoding signal Description Bisplay enable signal Display enable signal OE BLUE GND GND 51 52 GND Jota2 53 54 Data1  / Data2 55 56 Data3 // Data8 57 Data8 59 00 Data7 / Data10 Data10 61 62 Data9 / Data11 / Data11 / Data12 63 64 Data11 / Data14 67 GND		С	43	44		
Line decoding signal   Display enable signal   Display enable signal   OE BLUE   49   50   OE GREEN   Display enable signa   GND   51   52   GNDD		D	45	46	CTRL	Afterglow control signal
Display enable signal   OE_BLUE   49   50   OE_GREEN   Display enable signa   GND   51   52   GND		Е	47	48	OE RED	
GND		OE BLUE	49			
/         Data4         55         56         Data3         /           /         Data6         57         58         Data5         /           /         Data8         59         60         Data7         /           /         Data10         61         62         Data9         /           /         Data11         63         64         Data11         /           GND         65         66         GND         68         Data11         /           /         Data14         67         68         Data15         /         Data15         /           /         Data16         69         70         Data15         /         Data17         /           /         Data18         71         72         Data17         /         Data16         /         Data17         /           /         Data20         73         74         Data19         /         Data21         /         Data22         75         76         Data21         /         Data22         /         BAR         GND         GND         Data22         /         Jata23         /         Jata24         Jata27         / <td< td=""><td></td><td></td><td>51</td><td>52</td><td></td><td></td></td<>			51	52		
/         Data6         57         58         Data5         /           /         Data8         59         60         Data7         /           /         Data10         61         62         Data9         /           /         Data112         63         64         Data111         /           GND         65         66         GND           /         Data14         67         68         Data13         /           /         Data16         69         70         Data15         /           /         Data16         69         70         Data17         /           /         Data18         71         72         Data17         /           /         Data20         73         74         Data17         /           /         Data22         75         76         Data21         /           /         Data22         75         76         Data21         /           /         Data24         77         78         Data23         /           /         Data26         81         82         Data25         /           /         Data30         <	/	Data2	53	54	Data1	/
/         Data8         59         60         Data7         /           /         Data10         61         62         Data9         /           /         Data12         63         64         Data11         /           GND         65         66         GND         GND           /         Data14         67         68         Data13         /           /         Data16         69         70         Data15         /           /         Data18         71         72         Data17         /           /         Data20         73         74         Data19         /           /         Data22         75         76         Data21         /           /         Data22         75         76         Data21         /           /         Data22         75         76         Data23         /           /         Data22         75         76         Data23         /           /         Data28         81         82         Data25         /           /         Data28         83         84         Data27         /           /	/	Data4	55	56	Data3	/
/         Data10         61         62         Data9         /           /         Data12         63         64         Data11         /           GND         65         66         GND           /         Data14         67         68         Data13         /           /         Data16         69         70         Data15         /           /         Data16         69         70         Data15         /           /         Data21         /         Data17         /           /         Data20         73         74         Data19         /           /         Data22         75         76         Data21         /         /           /         Data24         77         78         Data23         /         /           GND         79         80         GND         GND         /           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data34	/	Data6	57	58	Data5	/
Data12   63   64   Data11   / GND   65   66   GND   / Data14   67   68   Data13   / Data16   69   70   Data15   / Data18   71   72   Data17   / Data20   73   74   Data21   / Data22   75   76   Data21   / Data24   77   78   Data23   / GND   / Data26   81   82   Data25   / Data28   83   84   Data27   / Data30   85   86   Data29   / Data34   89   90   Data33   / Data36   91   92   Data35   / GND   / Data40   97   98   Data37   / Data40   97   98   Data37   / Data40   97   98   Data37   / Data44   101   102   Data43   / Data46   103   104   Data45   / Data48   105   106   Data47   / Data48   105   106   Data47   / Data48   105   106   Data47   / Data48   GND   NC   109   110   NC	/	Data8	59	60	Data7	/
GND   65   66   GND	/	Data10	61	62	Data9	/
/         Data14         67         68         Data13         /           /         Data16         69         70         Data15         /           /         Data18         71         72         Data17         /           /         Data20         73         74         Data19         /           /         Data22         75         76         Data21         /           /         Data24         77         78         Data23         /           /         Data24         77         78         Data23         /           GND         79         80         GND         GND           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data32         87         88         Data31         /           /         Data34         89         90         Data33         /           /         Data36         91         92         Data35         /           /         <	/	Data12	63	64	Data11	/
/         Data16         69         70         Data15         /           /         Data18         71         72         Data17         /           /         Data20         73         74         Data19         /           /         Data22         75         76         Data21         /           /         Data24         77         78         Data23         /           GND         79         80         GND         GND           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data30         85         86         Data29         /           /         Data32         87         88         Data31         /           /         Data34         89         90         Data33         /           /         Data36         91         92         Data35         /           /         Data38         95         96         Data37         /           /         <		GND	65	66	GND	
/         Data18         71         72         Data17         /           /         Data20         73         74         Data19         /           /         Data22         75         76         Data21         /           /         Data24         77         78         Data23         /           GND         79         80         GND           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data32         87         88         Data31         /           /         Data34         89         90         Data33         /           /         Data36         91         92         Data35         /           GND         93         94         GND           /         Data38         95         96         Data37         /           /         Data40         97         98         Data39         /           /         Data44         101         102	/	Data14	67	68	Data13	/
/         Data20         73         74         Data19         /           /         Data22         75         76         Data21         /           /         Data24         77         78         Data23         /           GND         79         80         GND           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data30         85         86         Data29         /           /         Data32         87         88         Data31         /           /         Data34         89         90         Data33         /           /         Data36         91         92         Data35         /           GND         93         94         GND           /         Data38         95         96         Data37         /           /         Data40         97         98         Data37         /           /         Data42         99         100         <	/	Data16	69	70	Data15	/
/         Data22         75         76         Data21         /           /         Data24         77         78         Data23         /           GND         79         80         GND           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data32         87         88         Data31         /           /         Data34         89         90         Data33         /           /         Data36         91         92         Data35         /           GND         93         94         GND           /         Data38         95         96         Data37         /           /         Data40         97         98         Data39         /           /         Data42         99         100         Data41         /           /         Data44         101         102         Data43         /           /         Data46         103         104	/	Data18	71	72	Data17	/
/         Data24         77         78         Data23         /           GND         79         80         GND           /         Data26         81         82         Data25         /           /         Data28         83         84         Data27         /           /         Data30         85         86         Data29         /           /         Data32         87         88         Data31         /           /         Data34         89         90         Data33         /           /         Data36         91         92         Data35         /           GND         93         94         GND           /         Data38         95         96         Data37         /           /         Data40         97         98         Data39         /           /         Data42         99         100         Data41         /           /         Data44         101         102         Data43         /           /         Data46         103         104         Data45         /           /         Data48         105         106	/	Data20	73	74	Data19	/
GND	/	Data22	75	76	Data21	/
/       Data26       81       82       Data25       /         /       Data28       83       84       Data27       /         /       Data30       85       86       Data29       /         /       Data32       87       88       Data31       /         /       Data34       89       90       Data33       /         /       Data36       91       92       Data35       /         GND       93       94       GND         /       Data38       95       96       Data37       /         /       Data40       97       98       Data39       /         /       Data42       99       100       Data41       /         /       Data44       101       102       Data43       /         /       Data46       103       104       Data45       /         /       Data48       105       106       Data47       /         GND       NC       109       110       NC	/	Data24	77	78	Data23	/
/       Data28       83       84       Data27       /         /       Data30       85       86       Data29       /         /       Data32       87       88       Data31       /         /       Data34       89       90       Data33       /         /       Data36       91       92       Data35       /         GND       93       94       GND         /       Data38       95       96       Data37       /         /       Data40       97       98       Data39       /         /       Data42       99       100       Data41       /         /       Data44       101       102       Data43       /         /       Data46       103       104       Data45       /         /       Data48       105       106       Data47       /         GND       NC       109       110       NC		GND	79	80	GND	
/       Data30       85       86       Data29       /         /       Data32       87       88       Data31       /         /       Data34       89       90       Data33       /         /       Data36       91       92       Data35       /         GND       93       94       GND         /       Data38       95       96       Data37       /         /       Data40       97       98       Data39       /         /       Data42       99       100       Data41       /         /       Data44       101       102       Data43       /         /       Data46       103       104       Data45       /         /       Data48       105       106       Data47       /         GND       NC       109       110       NC	/	Data26	81	82	Data25	/
/       Data32       87       88       Data31       /         /       Data34       89       90       Data33       /         /       Data36       91       92       Data35       /         GND       93       94       GND         /       Data38       95       96       Data37       /         /       Data40       97       98       Data39       /         /       Data42       99       100       Data41       /         /       Data44       101       102       Data43       /         /       Data46       103       104       Data45       /         /       Data48       105       106       Data47       /         GND       NC       109       110       NC	/	Data28	83	84	Data27	/
/       Data34       89       90       Data33       /         /       Data36       91       92       Data35       /         GND       93       94       GND         /       Data38       95       96       Data37       /         /       Data40       97       98       Data39       /         /       Data42       99       100       Data41       /         /       Data44       101       102       Data43       /         /       Data46       103       104       Data45       /         /       Data48       105       106       Data47       /         GND       NC       109       110       NC	/	Data30	85	86	Data29	/
/     Data36     91     92     Data35     /       GND     93     94     GND       /     Data38     95     96     Data37     /       /     Data40     97     98     Data39     /       /     Data42     99     100     Data41     /       /     Data44     101     102     Data43     /       /     Data46     103     104     Data45     /       /     Data48     105     106     Data47     /       GND     107     108     GND       NC     109     110     NC	/	Data32	87	88	Data31	/
GND         93         94         GND           /         Data38         95         96         Data37         /           /         Data40         97         98         Data39         /           /         Data42         99         100         Data41         /           /         Data44         101         102         Data43         /           /         Data46         103         104         Data45         /           /         Data48         105         106         Data47         /           GND         107         108         GND           NC         109         110         NC	/	Data34	89	90	Data33	/
/     Data38     95     96     Data37     /       /     Data40     97     98     Data39     /       /     Data42     99     100     Data41     /       /     Data44     101     102     Data43     /       /     Data46     103     104     Data45     /       /     Data48     105     106     Data47     /       GND     107     108     GND       NC     109     110     NC	/	Data36	91	92	Data35	/
/     Data40     97     98     Data39     /       /     Data42     99     100     Data41     /       /     Data44     101     102     Data43     /       /     Data46     103     104     Data45     /       /     Data48     105     106     Data47     /       GND     107     108     GND       NC     109     110     NC		GND	93	94	GND	
/ Data42 99 100 Data41 / / Data44 101 102 Data43 / / Data46 103 104 Data45 / / Data48 105 106 Data47 / GND 107 108 GND NC 109 110 NC	/	Data38	95	96	Data37	/
/ Data44 101 102 Data43 / / Data46 103 104 Data45 / / Data48 105 106 Data47 / GND 107 108 GND NC 109 110 NC	/	Data40	97	98	Data39	/
/ Data46 103 104 Data45 / / Data48 105 106 Data47 / GND 107 108 GND NC 109 110 NC	/	Data42	99	100	Data41	/
/ Data48 105 106 Data47 / GND 107 108 GND NC 109 110 NC	/	Data44	101	102	Data43	/
GND 107 108 GND NC 109 110 NC	/	Data46		104	Data45	/
NC 109 110 NC	/	Data48			Data47	/
NC 111 112 NC			109	110		
		NC	111	112	NC	
NC 113 114 NC						
NC 115 116 NC						
GND 117 118 GND						
GND 119 120 GND		GND	119	120	GND	



The recommended power input is 5.0 V.

OE\_RED, OE\_GREEN and OE\_BLUE are display enable signals. When RGB are not controlled separately, use OE\_RED. When the PWM chip is used, they are used as GČLK signals.

In the mode of 128 groups of serial data, Data65–Data128 are multiplexed into Data1–Data64.

## **Reference Design for Extended Functions**

Pins for Extended Functions						
Pin	Recommended Module Flash Pin	Recommended Smart Module Pin	Description			
RFU4	HUB_SPI_CLK	Reserved	Clock signal of serial pin			
RFU6	HUB_SPI_CS	Reserved	CS signal of serial pin			
RFU8	HUB_SPI_MOSI /		Module Flash data storage input			
Kruo	/	HUB_UART_TX	Smart module TX signal			
RFU10	HUB_SPI_MISO	/	Module Flash data storage output			
KFUIU	/ HUB_UART_RX		Smart module RX signal			
RFU3	HUB_	CODE0	Modulo Floob PLIS control pin			
RFU5	HUB_	CODE1	Module Flash BUS control pin			

PAGE 10 www.novastar.tech

Pins for Extended Functions		
RFU7	HUB_CODE2	
RFU9	HUB_CODE3	
RFU11	HUB_H164_CSD	74HC164 data signal
RFU13	HUB_H164_CLK	
RFU14	POWER_STA1	- Dual power supply detection signal
RFU16	POWER_STA2	
RFU15	MS_DATA	Dual card backup connection signal
RFU17	MS_ID	Dual card backup identifier signal



The RFU8 and RFU10 are signal multiplex extension pins. Only one pin from either the Recommended Smart Module Pin or the Recommended Module Flash Pin can be selected at the same time.

## **Specifications**

Maximum Resolution	512×512@60Hz (PWM driver ICs) 512×384@60Hz (Common driver ICs)	
Electrical Parameters	Input voltage	DC 3.8 V to 5.5 V
	Rated current	0.6 A
	Rated power consumption	3.0 W
Operating Environment	Temperature	-20°C to +70°C
	Humidity	10% RH to 90% RH, non-condensing
Storage Environment	Temperature	-25°C to +125°C
	Humidity	0% RH to 95% RH, non-condensing
Physical Specifications	Dimensions	70.0 mm × 45.0 mm × 8.2 mm
	Net weight	17.4 g  Note: It is the weight of a single receiving card only.
Packing Information	Packing specifications	Each receiving card is packaged in a blister pack. Each packing box contains 80 receiving cards.
	Packing box dimensions	392.0 mm × 200.0 mm × 123.0 mm

The amount of current and power consumption may vary depending on various factors such as product settings, usage, and environment.

www.novastar.tech

#### Copyright © 2023 Xi'an NovaStar Tech Co., Ltd. All Rights Reserved.

No part of this document may be copied, reproduced, extracted or transmitted in any form or by any means without the prior written consent of Xi'an NovaStar Tech Co., Ltd.

#### **Trademark**

NOVA 5TAR is a trademark of Xi'an NovaStar Tech Co., Ltd.

#### Statement

Thank you for choosing NovaStar's product. This document is intended to help you understand and use the product. For accuracy and reliability, NovaStar may make improvements and/or changes to this document at any time and without notice. If you experience any problems in use or have any suggestions, please contact us via the contact information given in this document. We will do our best to solve any issues, as well as evaluate and implement any suggestions.

Official website
www.novastar.tech
Technical support
support@novastar.tech